




## Measure the quantity of bacteria in your tap water in under 2 minutes





 **SECURE** your water systems. With this decision support tool, validate the effectiveness of your disinfection instantaneously.

 **RESPECT** the regulations related to drinking water supplies and domestic hot water. Have at your disposal a microbial indicator to identify risks.

 **SAVE** money on your operating costs. Avoid financial penalties, limit costly revisits and save time and manpower.

## Master your water network



## They trust us

**Adelaïde K. - Montpellier's drinking water supply**



« I use ATPmetry to monitor the water microbial quality after treatment. We especially wanted to assess the impact of temperature variations on the water quality. We defined a master plan for implementing a new management strategy of the water system. Much more than just commercial exchanges, our interaction with GL Biocontrol is richly rewarding. »

**Michel A. - SUEZ Ile-de-France**



« Since 2015, we have been testing the robustness of ATP tests in various situations. Even though it cannot replace conventional analysis methods for now, it provides information on the bacterial activity at very short notice. We use it to identify critical points, as a decision support tool in crisis situations, and as a validation tool for commissioning of pipes. »

# What is DENDRIDIAG® ?


It is a complete field kit designed to measure the quantity of bacteria in tap water:

- Drinking water,
- Domestic hot water,
- Thermal water...

Get immediate results and interpret them easily with the DENDRIDIAG app.



## A rapid and reliable test



### Reliable analysis

- Representative sampling
- Low detection limit
- Elimination of free ATP and inhibitors



### Without dilution

- Analysis of the whole sample
- High sensitivity
- No time wasting



### Measure in 10 sec


- Instantaneous analysis of your sample
- Only the intracellular ATP is measured



### Test validation

- Quantitative results
- Consideration of environmental parameters
- Avoids false negatives

## Personalized support



## Kit content

### The reagents

- 60 measurement tubes LUMITUBE
- 1 dropper bottle EXTRACTANT
- 1 dropper bottle STANDARD

### The consumables

- 60 sampling containers
- 60 50-ml syringes
- 60 filters, porosity 0.45 µm

### The measuring device

- 1 luminometer KIKKOMAN PD30
- 1 rack for microtubes
- 1 USB flash drive

## 4 easy ways to order

@ by e-mail at [contact@gl-biocontrol.com](mailto:contact@gl-biocontrol.com),

☎ by fax at + 33 (0) 9 55 25 40 31,

☎ by phone at + 33 (0) 9 67 39 35 20,

✉ by mail at GL BIOCONTROL - 9, avenue de l'Europe, Cap Alpha - 34,830 CLAPIERS (FRANCE).

>>> [www.gl-biocontrol.com](http://www.gl-biocontrol.com)